United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



INSPECTION BODY No. 0265

Enquin Environmental Limited

is accredited as a Type C body in accordance with the recognised International Standard ISO/IEC 17020:2012 -Conformity assessment – Requirements for the operation of various types of bodies performing inspection.

This accreditation demonstrates technical competence for a defined scope as detailed in and at the locations specified in the schedule to this certificate.

The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued by the United Kingdom Accreditation Service. The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from the UKAS website www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements. The absence of a schedule on the UKAS website indicates that the accreditation is no longer in force.

Accreditation Manager, United Kingdom Accreditation Service

Initial Accreditation date 18 November 2003 This certificate issued on 01 October 2014

UKAS is appointed as the sole national accreditation body for the UK by The Accreditation Regulations 2009 (SI No 3155/2009) and operates under a Memorandum of Understanding (MoU) with the Department for Business, Innovation and Skills (BIS).

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



0265

Type C **Inspection Body**

Accredited to ISO/IEC 17020:2012



Issue No: 011

Issue date: 8 November 2016

Contact: Stephen Jones

1 Ringside Business Centre Heol Y Rhosog Wentloog Cardiff **CF3 2EW**

Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633 E-Mail: asbestos@enquin.co.uk Website: www.enguin.co.uk

Inspection performed at/from the above address only

DETAIL OF ACCREDITATION

Field of Inspection	Type and Range of Inspection	Methods and Procedures
Surveying for Asbestos in Premises		Health and Safety Executive Asbestos: The Survey Guide (HSG 264, 2012)
	Management survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4
	Refurbishment and demolition survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4
	Priority assessment: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4 (based on guidance documented in Health and Safety Executive guides HSG 264 (2012) and Appx. 3 of HSG 227 (2004))
	Reinspection of identified or suspected asbestos containing material in surveyed premises	Documented In-House Method as per Quality Control Manual, Section 4(based on guidance documented in Appendix 5 of HSG 227 (2004)
	END	<u> </u>

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY No. 2604

Enquin Environmental Limited

is accredited in accordance with the recognised International Standard ISO/IEC 17025:2005 General Requirements for the competence of testing and calibration laboratories.

This accreditation demonstrates technical competence for a defined scope as detailed in and at the locations specified in the schedule to this certificate, and the operation of a laboratory quality management system (refer joint ISO-ILAC-IAF Communiqué dated January 2009).

The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued by the United Kingdom Accreditation Service. The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from the UKAS website www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements. The absence of a schedule on the UKAS website indicates that the accreditation is no longer in force.

Accreditation Manager, United Kingdom Accreditation Service

Initial Accreditation date 3 November 2003

This certificate issued on 03 October 2012

UKAS is appointed as the sole national accreditation body for the UK by The Accreditation Regulations 2009 (SI No 3155/2009) and operates under a Memorandum of Understanding (MoU) with the Department for Business, Innovation and Skills (BIS).

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address 1 Ringside Business Centre Heol Y Rhosog Wentloog Cardiff CF3 2EW	Local contact Stephen Jones Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633 Email: asbestos@enquin.co.uk Website: www.enquin.co.uk	Health and Hygiene	A

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Premises including domestic, commercial and industrial	Health and Hygiene	В



Accredited to

ISO/IEC 17025:2005

Schedule of Accreditation issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Enquin Environmental Limited

Issue No: 008 Issue date: 22 November 2016

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
	Health and Hygiene	Health and Safety Executive Asbestos: The analysts' guide for sampling, analysis and clearance procedures (HSG 248)	
ASBESTOS FIBRES IN AIR	Fibre counting	HSG 248:February 2005 Membrane Filter Method using Phase Contrast Microscopy (PCM)	А, В
	Sampling of air for fibre counting	HSG 248:February 2005 (Documented In-House Procedure in the Procedures Manual at Section 2)	В
	4 Stage Clearance Process	HSG 248:February 2005 (Documented In-House Procedure)	В
ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos	Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	HSG 248:February 2005 by Documented In-House Procedure, Quality Control Manual, Section 3, using stereo-microscopy, polarised light microscopy and dispersion staining	A
	Sampling of bulk materials for asbestos identification	Documented In-House Method - Quality Control Manual, Section 3, based upon HSG 248 and HSE HSG264	В
END			

	& SAFETY RATORY	M	UKAS PROHEEINEY TISTING 5254
for Laboratory Report Issued Report No. Your Performan	26/02/2018 14:16:32 064/160/9761/ 18829 ce Score 0 ce Classification Good		
	1		
Sample 1	Your Result Chrysotile,	Assigned Result Chrysotile,	Sample Score
2	Crocidolite , Amosite, Chrysotile,	, Crocidolite , Amosite, Chrysotile,	0
3	Amosite,	Amosite,	0
4	Chrysotile,	Chrysotile,	0
- 50 - 40 - 2005 30 -			
- 00 Commission - 00 Commission - 00 Commission - 00 Commission - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -			
-10 - ealth & Safety Ielanie Cluna	s (P	59 060 061 062 063 Rounds Health & Safety Laboratory Harpur Hill, Buxton, Derbyshire, SK17 9JI	064 N - UK
IMS Scheme C bres Team nal Report	p-Ordinator	FTPT F0903 ISSUE 2	Page 1 of

Committee on Fibre Measurement				
		RIC	CE Sche	eme
			Regular Interlaboratory Counting Exchanger ality Control of Asbestos Fibre C	-
	CL	ASSIFICAT	ION OF LABORATORY	PERFORMANCE
		Laboratory N ^{o.} :	1275	
		Period:	10 Mar 2016 to 09 Mar 2017	
		Rounds:	102 - 105	
		Laboratory:	Enquin Environmental Ltd 1 Ringside Business Centre Heol-y-Rhosog Wentloog Cardiff CF3 2EW UK	•
		Classification:	Category 1 (Satisfactory)	
		No. of Batches	4	
Notes 1 2 3	The RICE scheme tests proficiency in the use of the optical microscopy method of counting asbestos fibres as described in the Health and Safety Executive publication HSG248. The classifications will be updated after each subsequent round i.e. at 3 - 4 month intervals. Laboratories which have completed fewer than four rounds are normally classified as AWAITING CLASSIFICATION. On completion of four rounds laboratories are classified with the performance category (CATEGORY 1, CATEGORY 2 or CATEGORY 3). Category 1 represents GOOD performance, Category 2 is ACCEPTABLE (but needs improvement), while category 3 is UNSATISFACTORY performance.			
			Signature:	Melanie Clunas
				RICE Coordinator



RICE Certificate 1



Certificate of membership

Enquin Environmental Ltd

Registration No:

53832

Expiry Date:

04/02/2019

This certifies that the firm named above has met pre-qualification requirements appropriate to public and private sector procurement.

John Edmunds Managing Director

PO BOX 6441, Basingstoke, Hampshire, RG21 7FN **T:** 0844 892 0313 **www.constructionline.co.uk** Calls will cost 7p per minute plus your phone company's access charge





Certificate of Accreditation

This is to certify that Enquin Environmental Ltd

has achieved SafeContractor accreditation

Date: 01/03/2017

This certificate is valid until: 31/03/2018

Certificate number: QQ4466

Signed:

Martin Smith Alcumus CEO

AMARTIN





Alcumus SafeContractor, Santia House, Parc Nantgarw, Cardiff, CF15 7QX T: 029 2026 6749 E: safecontractor@alcumusgroup.com W: www.alcumusgroup.com | www.safecontractor.com This certificate is the property of Alcumus SafeContractor and must be returned on request



Schedule to SafeContractor certificate

This SafeContractor certificate is awarded for the following services:

- Asbestos Air Sampling
- Asbestos Bulk Sampling
- Asbestos Surveying

SafeContractor accreditation has been achieved following an assessment of the contractor's health & safety documentation, and compared against the **SafeContractor** Charter Standards, which set out the health & safety standards required to achieve accreditation.

For more information on the Charter Standards, the **SafeContractor** scheme or for confirmation of this contractor's accreditation please telephone **SafeContractor** on 029 2026 6749.





Alcumus SafeContractor is operated by Alcumus Group Ltd Alcumus SafeContractor and the Alcumus SafeContractor logo are trademarks belonging to Alcumus Group Ltd **Registered office:** Cannon Place, 78 Cannon Street, London, EC4N 6AF. Company registration number: 07334643





Certificate of Qualification

This is to certify that

Enquin Environmental Limited

Supplier Number: 178972

are now fully qualified as a supplier on Achilles UVDB.

Ian Bartle Chair UVDB Steering Group

Registration Expiry Date: 24 February 2019 This is not a legal document and cannot be used as such.

Tom Grand UKI Regional Director, Achilles







Product and Service Code Summary

Supplier Name: Enquin Environmental Limited

Achilles ID: 178972

2.2.7 Health & Safety Consultancy

2.5.6 Hazardous Material Handling/Treatment/Disposal Services (incl. Asbestos)

2.6.7 Training & Education Services – Functional



Signed: Date: Expires: **UKATA Acting Chair** 17th April 2018 17th April 2017 Roward Theate Membership Number: Category of Member: **Company Name:** CATEGORY B SOCIATION Non-Licensable Work with Asbestos & Asbestos Awareness Training Enquin Environmental Ltd UK1213A embershi T: 01246 824437 E: info@ukata.org.uk W: www.ukata.org.uk ICO Reg. No. ICO Z125 3123 MARKHAM VALE ENVIRONMENT CENTRE MARKHAM LANE MARKHAM VALE DERBYSHIRE S44 5HY CHESTERFIELD





SAFETY SCHEMES IN

is accredited within the Contractors Health and Safety Assessment Scheme (CHAS) having demonstrated compliance with and sound management of current basic health and safety legislation.





This is to certify that

Enquin Environmental Ltd

has been accredited by **exor** and has attained the required standards for the accreditation level shown below

Accreditation level: Gold Registration number: QQ4466 Expiry date: 02/05/2018

Signed on behalf of exor

Martin Smith CEO



This certificate remains the property of **exor** and must be sumendered on demand. For an up to date list of accredited companies contact **exor** on 029 2002 9667 exer is operated by Exor (Services) Limited registered in England and Wales no. 0761838

Registered Office: Santia House, Parc Nantgarw, Cardiff, CF15 70X

ixor (Services) Limited is a Santi Holdco company

enquiries@exorms.co.uk

www.exorms.co.uk



Enquin Environmental Limited

Date of Award: 26/05/2017

Award Number: 578242

+44 (0)1332 960 320 enquiries@altiusva.com www.altiusva.com



This document should not be used as evidence of this company's current status. To check the current validity of this award, please call the above number.



Certificate of Accreditation

This is to certify that

Enquin Environmental Ltd

has been accepted as a Bronze level member of the ACDC Accreditation Scheme



Contractor ID

1946608

Expiry Date

26th October 2018

le.

Philip Salaman Managing Director

This certificate remains the property of Quidos and is issued subject to terms and conditions. It is maintained and held in force through annual review and verification

ACDC is a tradename of Quidos Ltd 01225 667 590 hello@acdcregister.co.uk www.acdcregister.co.uk



Building the connections that build the world

14 August 2017

Enquin Environmental Limited

Became a Member of the Avetta Consortium on: 11/07/2017

This document certifies that the company above is a Member of the Avetta Consortium. This company will be an authorized user of the Avetta database, as long as a full Avetta membership is maintained.

John C. Hen John Herr, CEO



Them Deren

Kevin Berens, CPC