# Certificate of Accreditation



#### **Enquin Environmental Limited**

Inspection Body No. 0265

is accredited as a Type C body in accordance with International Standard ISO/IEC 17020:2012 - Conformity assessment - Requirements for the operation of various types of bodies performing inspection

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated September 2013). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

Matt Gantley, Chief Executive Officer United Kingdom Accreditation Service

Initial Accreditation: November 18, 2003 Certificate Issued: December 9, 2019







Scan QR Code to verify

#### **Schedule of Accreditation**

issued by

#### **United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



0265

Cardiff

**CF3 2EW** 

Type C Inspection Body

Accredited to ISO/IEC 17020:2012

#### **Enquin Environmental Limited**

Issue No: 012 Issue date: 22 January 2018

1 Ringside Business Centre Contact: Ben Holderness
Heol Y Rhosog Tel: +44 (0)29 2053 5090
Wentloog Fax: +44 (0)29 2077 8633

E-Mail: bholderness@enquin.co.uk

Website: www.enquin.co.uk

Inspection performed at/from the above address only

#### **DETAIL OF ACCREDITATION**

Field of Inspection	Type and Range of Inspection	Methods and Procedures	
Surveying for Asbestos in Premises		Health and Safety Executive Asbestos: The Survey Guide (HSG 264, 2012)	
	Management survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4	
	Refurbishment and demolition survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4	
	Priority assessment: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4 (based on guidance documented in Health and Safety Executive guides HSG 264 (2012) and Appx. 3 of HSG 227 (2004))	
	Reinspection of identified or suspected asbestos containing material in surveyed premises	Documented In-House Method as per Quality Control Manual, Section 4(based on guidance documented in Appendix 5 of HSG 227 (2004)	
END			

Assessment Manager: MW Page 1 of 1

# Certificate of Accreditation



#### **Enquin Environmental Limited**

Testing Laboratory No. 2604

Is accredited in accordance with International Standard ISO/IEC 17025:2017 – General Requirements for the competence of testing and calibration laboratories.

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated April 2017). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

Matt Gantley, Chief Executive Officer United Kingdom Accreditation Service

Initial Accreditation: November 3, 2003 Certificate Issued: December 9, 2019







Scan QR Code to verify

#### **Schedule of Accreditation**

#### **United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



Accredited to ISO/IEC 17025:2017 **Enquin Environmental Limited** 

**Issue No:** 014 Issue date: 30 October 2019

1 Ringside Business Centre

Cardiff

**Contact: Ben Holderness Heol Y Rhosog** Tel: +44 (0)29 2053 5090 Wentloog Fax: +44 (0)29 2077 8633

Website: www.enquin.co.uk

**CF3 2EW** 

E-Mail: bholderness@enquin.co.uk

Testing performed by the Organisation at the locations specified below

#### Locations covered by the organisation and their relevant activities

#### **Laboratory locations:**

Location details		Activity	Location code
Address 1 Ringside Business Centre Heol Y Rhosog Wentloog Cardiff CF3 2EW	Local contact Ben Holderness Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633 Email: asbestos@enquin.co.uk Website: www.enquin.co.uk	Health and Hygiene	А

#### Site activities performed away from the locations listed above:

Location details	Activity	Location code
Premises including domestic, commercial and industrial	Health and Hygiene	В
Mobile Laboratories	Asbestos	С

Case Manager: EG Page 1 of 2



#### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

#### **Enquin Environmental Limited**

Issue No: 014 Issue date: 30 October 2019

Testing performed by the Organisation at the locations specified

#### **DETAIL OF ACCREDITATION**

Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Health and Hygiene	Health and Safety Executive Asbestos: The analysts' guide for sampling, analysis and clearance procedures (HSG 248)	
Fibre counting	HSG 248:February 2005 Membrane Filter Method using Phase Contrast Microscopy (PCM)	A, B, C
Sampling of air for fibre counting	HSG 248:February 2005 (Documented In-House Procedure in the Procedures Manual,Section 2)	A, B, C
4 Stage Clearance Process	HSG 248:February 2005 (Documented In-House Procedure in the Procedures Manual, Section 2)	B, C
Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	HSG 248:February 2005 by Documented In-House Procedure, Procedures Manual, Section 3, using stereo-microscopy, polarised light microscopy and dispersion staining	Α
Sampling of bulk materials for asbestos identification	Documented In-House Method – Procedures Manual, Section 4, based upon HSG 248 and HSE HSG264	В
	measured/Range of measurement  Health and Hygiene  Fibre counting  Sampling of air for fibre counting  4 Stage Clearance Process  Identification of:     Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite  Sampling of bulk materials for	Health and Hygiene

Case Manager: EG Page 2 of 2







## RICE SCHEME

Regular Interlaboratory Counting Exchanges

#### **CLASSIFICATION OF LABORATORY PERFORMANCE**

Laboratory No. : 1275

Period: 28/06/2019 TO 06/11/2020

Rounds: 112, 113, 114, 115

Laboratory: **ENQUIN ENVIRONMENTAL Ltd.** 

1 Ringside Business Centre

**Heol-y-Rhosog** 

Wentloog Cardiff CF3 2EW

UK

Classification: Category 1 - GOOD

#### **Notes**

- 1 The RICE scheme test proficiency in the use of the optical microscopy method of counting asbestos fibres as described in the Health and Safety Executive publication HSG248
- 2 The classifications will be updated after each subsequent round i.e. at 3 4 month intervals
- 3 Laboratories which have completed fewer than four rounds are normally classified as AWAITING CLASSIFICATION.
- 4 On completion of four rounds laboratories are classified with the performance category (CATEGORY 1, CATEGORY 2 or CATEGORY 3). Category 1 represents GOOD performance, Category 2 is ACCEPTABLE (but needs improvement), while Category 3 is UNSATISFACTORY performance.

#### **Melanie Clunas**

RICE Scheme Co-Ordinator Proficiency Testing Team





HSE, Science & Research Centre Harpur Hill, Buxton, Derbyshire SK17 9JN - UK

Report No.: 8616 \ 1968

Page 1 of 2

**FTPT F0936 ISSUE 2** 







112, 113, 114, 115

Laboratory: 1275

**ENQUIN ENVIRONMENTAL Ltd.** 

CF3 2EW, UK

ROUNDS		NUMBER AND PERCENTAGE OF COUNTS IN PERFORMANCE BANDS						
ROUND	GROUP	ВАТСН		DEADLINE DATE	BAND A	BAND A AND BAND B	BAND -C	BAND +C
115	22	25	06 N	ov 2020	17	17	0	0
113	22	25	UO IN	OV 2020	100%	100%	0%	0%
114	26	46	12 M	lar 2020	13	13	0	0
114	20	40	13 14	iai 2020	100%	100%	0%	0%
113	32	40	1 E N	ov 2019	12	12	0	0
113	32	40	13 14	OV 2019	100%	100%	0%	0%
112	32	35	20.1	um 2010	11	11	0	0
112	32	33	28 Jun 2019		100%	100%	0%	0%
Fo	Four-round average percentages			100%	100%	0%	0%	
			Ca	ategory 1 - GOO	D			
Categories from previous rounds CATEGORY		115	114	113	112			
		1	1	1	1			

#### **CALCULATION OF CATEGORY**

In routine cases, if the four-round average percentage of counts in Band A is 75% or more, the Category is 1; failing that, if the average of counts in Bands A and B combined is 75% or more, the Category is 2; otherwise the Category is 3.

The Category may be subjected to review (e.g. if one of the four rounds was missed or if an extra batch of samples was evaluated

Full details on the assessment of categories, and on the formal performance classifications, are given in the document "RICE Information for Participants"



**HSE, Science & Research Centre** Harpur Hill, Buxton, **Derbyshire SK17 9JN - UK** 





Asbestos in Materials Individual Results: Round 071:071 AIMS R71

For Laboratory Number: 1275 ENQUIN ENVIRONMENTAL Ltd.

Report Issued 02/11/2020 13:36:38


Report No. 071/160/12667/ 22081

Your Performance Score 0

Your Performance Classification Good

Your Score This Round 0

Sample	Your Result	Assigned Result	Sample Score
1	Amosite	Amosite	0
2	No Asbestos	No Asbestos	0
3	Crocidolite	Crocidolite	0
4	Chrysotile	Chrysotile	0



HSE **Melanie Clunas** AIMS Scheme Co-Ordinator

AIMS Scheme Co-Ordinator Fibres Team

Final Report

HSE, Science & Research Centre Harpur Hill, Buxton, Derbyshire, SK17 9JN - UK



# Certificate of membership

#### **Enquin Environmental Ltd**

Registration No:

**14/02/2021**Expiry Date:

This certifies that the firm named above has met pre-qualification requirements appropriate to public and private sector procurement.

**John Edmunds** Chief Executive Officer





## Certificate of Accreditation

This is to certify that

**Enquin Environmental Ltd** 

has achieved SafeContractor accreditation

Date: 24th April 2020

This certificate is valid until: 24th April 2021

Certificate number: QQ4466

#### Signed:

Alyn Franklin Alcumus CEO









#### Schedule to SafeContractor certificate

This SafeContractor certificate is awarded for the following services:

#### **Work Categories:**

Asbestos Air Sampling: Asbestos Air Sampling

Asbestos Bulk Sampling (Laboratory Work): Asbestos Bulk Sampling

Asbestos Surveying & Sampling: Asbestos Surveying

#### **Industry Roles:**

Consultant

#### **Category Related Activities:**

Air Sampling, Bulk Sampling (laboratory analysis), Inhalation of Dust, Fibres and Fumes, Ladders / Step Ladders, MEWPs, Surveying, Tower Scaffolds, Working at Height

**SafeContractor** accreditation has been achieved following an assessment of the contractor's health & safety documentation, and compared against the **SafeContractor** Charter Standards, which set out the health & safety standards required to achieve accreditation.

For more information on the Charter Standards, the **SafeContractor** scheme or for confirmation of this contractor's accreditation please telephone **SafeContractor** on 029 2026 6749.

www.safecontractor.com www.alcumusgroup.com









OF

**ACCREDITATION** 

This is to certify that

## **Enquin Environmental Ltd**

has demonstrated compliance with the CHAS standards in line with SSIP Core Criteria and UK H&S Legislation and has been awarded accreditation to the requirements of the CDM Regulations 2015



Contractor - Construction



lan McKinnon Managing Director H&S

VALID UNTIL

**24** 

020 8545 3838

APRIL

CHAS.co.uk

2021



# Certificate Of Registration

THIS IS TO CERTIFY THAT

# **Enquin Environmental Limited**

has successfully achieved the Achilles UVDB registration, having completed an online pre-qualification questionnaire

Achilles ID: 178972 Start date of membership: 23 February 2020 Expiration date: 22 February 2021

Ian Bartle Chair of UVDB Steering Group



# Product and Service Code Summary

Supplier Name: Enquin Environmental Limited

Achilles ID: 178972

2.2.7 Health & Safety Consultancy

2.5.6 Hazardous Material Handling/Treatment/Disposal Services (incl. Asbestos)

2.6.7 Training & Education Services – Functional

# Product and Service Code Summary

Supplier Name: Enquin Environmental Limited

Achilles ID: 178972

2.2.7 Health & Safety Consultancy
2.5.6 Hazardous Material Handling/Treatment/Disposal Services (incl. Asbestos)
2.6.7 Training & Education Services – Functional



# Certificate of Membership Reducered Membership

Date:

17th April, 2020

Company Name:

Enquin Environmental Ltd

(ronohy-

Category of Member:

Non-Licensed Asbestos Works Training/Asbestos Awareness

Signed:

UK1795A

**UKATA Chairman** 

16th April, 2021

MARKHAM VALE ENVIRONMENT CENTRI MARKHAM LANE MARKHAM VALE CHESTERFIELD DERBYSHIRE S44 5HY

T: 01246 824437 E: info@ukata.org.uk W: www.ukata.org.uk ICO Reg. No. ICO Z125 3123

Expires:

Membership Number:



### **Enquin Environmental Limited**

Date of Award: 19/06/2020

Award Number: 578242

+44 (0)1332 960 320 enquiries@altiusva.com www.altiusva.com



#### **PSAs**

Product Services	<u>Activities</u>
Asbestos Surveys (UKAS accredited)	Supply
Asbestos Testing (at permanent laboratory)	Supply
Asbestos Testing (away from permanent laboratory)	Supply

#### Goals

Goal Titles	Compliant
Aim Higher - Altius Assured Vendor	4
3 Retail	✓
Airbus UK	4
Arcadia Group Limited	4
B&Q plc	4
Bellrock Property & Facilities Management	4
Carpetright	4
Debenhams	4
EAT	4
EPTA UK	4
George Barker & Co	4
Hugo Boss	4
Johnsons Cleaning	4
Maintenance Management Ltd (MML)	✓
MRH Retail	4
NCP	4
Pizza Hut	4
Roadchef	4
Savers Health & Beauty	4
Servest Group	4

#### Goals

Goal Titles	<u>Compliant</u>
Superdrug	✓
The Perfume Shop	4
Travelodge	4



## Certificate of Accreditation

This is to certify that

#### **Enquin Environmental Limited**

has been accepted as a Bronze level member of the ACDC Accreditation Scheme



Contractor ID

1946608

**Expiry Date** 

19/10/2021

the Jeller

Philip Salaman Managing Director



#### This Certificate is Awarded to:

#### **Enquin Environmental Limited**

**CDM Scope: Non-construction** 

by Avetta
in Accordance with SSIP Forum Deemed to Satisfy Agreement

Certificate Issued: 04/24/20 Expiry Date: 04/24/21 Certificate Number: 139539

Authorised By: Arshad Matin

To Check the Validity of this Certificate please contact us directly: 01628 450400





# Certificate of Builder's Profile Premium Membership

The standard in PQQ data Exchange

www.buildersprofile.co.uk

This is to certify that

#### **ENQUIN ENVIRONMENTAL LIMITED**

is a Premium Member of the Builder's Profile.

Account Registration Num	ber: 26883
Membership Commenced	Membership Expires
30 April 2020	22 May 2021