

Certificate of Accreditation



Enquin Environmental Limited

Inspection Body No. 0265

is accredited as a Type C body in accordance with International Standard ISO/IEC 17020:2012 - Conformity assessment – Requirements for the operation of various types of bodies performing inspection

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated September 2013). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

A handwritten signature in black ink, reading "Matt Gantley", is positioned above a horizontal line.

Matt Gantley, *Chief Executive Officer*
United Kingdom Accreditation Service

Initial Accreditation: November 18, 2003
Certificate Issued: December 9, 2019




Scan QR Code to
verify

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>0265</p> <p>Type C Inspection Body</p> <p>Accredited to ISO/IEC 17020:2012</p>	<p align="center">Enquin Environmental Limited</p> <p align="center">Issue No: 012 Issue date: 22 January 2018</p>	
	<p>1 Ringside Business Centre Heol Y Rhosog Wentloog Cardiff CF3 2EW</p>	<p>Contact: Ben Holderness Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633 E-Mail: bholderness@enquin.co.uk Website: www.enquin.co.uk</p>

Inspection performed at/from the above address only

DETAIL OF ACCREDITATION

Field of Inspection	Type and Range of Inspection	Methods and Procedures
<p>Surveying for Asbestos in Premises</p>	<p>Management survey: (domestic, commercial & industrial premises)</p>	<p>Health and Safety Executive Asbestos: The Survey Guide (HSG 264, 2012)</p>
	<p>Refurbishment and demolition survey: (domestic, commercial & industrial premises)</p>	<p>Documented In-House procedure as per Quality Control Manual, Section 4</p>
	<p>Priority assessment: (domestic, commercial & industrial premises)</p>	<p>Documented In-House procedure as per Quality Control Manual, Section 4 (based on guidance documented in Health and Safety Executive guides HSG 264 (2012) and Appx. 3 of HSG 227 (2004))</p>
	<p>Reinspection of identified or suspected asbestos containing material in surveyed premises</p>	<p>Documented In-House Method as per Quality Control Manual, Section 4(based on guidance documented in Appendix 5 of HSG 227 (2004))</p>
<p align="center">END</p>		

Certificate of Accreditation



Enquin Environmental Limited

Testing Laboratory No. 2604

**Is accredited in accordance with International Standard ISO/IEC 17025:2017
– General Requirements for the competence of testing and calibration
laboratories.**

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated April 2017). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

A handwritten signature in black ink, reading "Matt Gantley", is positioned above a horizontal line.

Matt Gantley, *Chief Executive Officer*
United Kingdom Accreditation Service

Initial Accreditation: November 3, 2003
Certificate Issued: December 9, 2019




Scan QR Code to
verify

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 Accredited to ISO/IEC 17025:2017	Enquin Environmental Limited	
	Issue No: 014 Issue date: 30 October 2019	
	1 Ringside Business Centre Heol Y Rhosog Wentloog Cardiff CF3 2EW	Contact: Ben Holderness Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633 E-Mail: bholderness@enquin.co.uk Website: www.enquin.co.uk
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address 1 Ringside Business Centre Heol Y Rhosog Wentloog Cardiff CF3 2EW	Local contact Ben Holderness Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633 Email: asbestos@enquin.co.uk Website: www.enquin.co.uk	Health and Hygiene	A

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Premises including domestic, commercial and industrial	Health and Hygiene	B
Mobile Laboratories	Asbestos	C



2604
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Enquin Environmental Limited
Issue No: 014 Issue date: 30 October 2019

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
ASBESTOS FIBRES IN AIR	<u>Health and Hygiene</u>	Health and Safety Executive Asbestos: The analysts' guide for sampling, analysis and clearance procedures (HSG 248)	
	Fibre counting	HSG 248:February 2005 Membrane Filter Method using Phase Contrast Microscopy (PCM)	A, B, C
	Sampling of air for fibre counting	HSG 248:February 2005 (Documented In-House Procedure in the Procedures Manual,Section 2)	A, B, C
ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos	4 Stage Clearance Process	HSG 248:February 2005 (Documented In-House Procedure in the Procedures Manual, Section 2)	B, C
	Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	HSG 248:February 2005 by Documented In-House Procedure, Procedures Manual, Section 3, using stereo-microscopy, polarised light microscopy and dispersion staining	A
	Sampling of bulk materials for asbestos identification	Documented In-House Method – Procedures Manual, Section 4, based upon HSG 248 and HSE HSG264	B
END			



RICE SCHEME

Regular Interlaboratory Counting Exchanges

CLASSIFICATION OF LABORATORY PERFORMANCE

Laboratory No. : **1275**

Period : **13/03/2020** TO **25/06/2021**

Rounds : **114, 115, 116, 117**

Laboratory : **ENQUIN ENVIRONMENTAL Ltd.**
1 Ringside Business Centre
Heol-y-Rhosog
Wentloog
Cardiff
CF3 2EW
UK

Classification : **Category 1 - GOOD**

Notes

- 1 The RICE scheme test proficiency in the use of the optical microscopy method of counting asbestos fibres as described in the Health and Safety Executive publication HSG248
- 2 The classifications will be updated after each subsequent round i.e. at 3 - 4 month intervals
- 3 Laboratories which have completed fewer than four rounds are normally classified as AWAITING CLASSIFICATION.
- 4 On completion of four rounds laboratories are classified with the performance category (CATEGORY 1, CATEGORY 2 or CATEGORY 3). Category 1 represents GOOD performance, Category 2 is ACCEPTABLE (but needs improvement), while Category 3 is UNSATISFACTORY performance.

Melanie Clunas
RICE Scheme Co-Ordinator
Proficiency Testing Team
FTPT F0936 ISSUE 2

HSE, Science & Research Centre
Harpur Hill, Buxton, Derbyshire SK17 9JN - UK
Report No. : 9068 \ 2438



SUMMARY OF LABORATORY RESULTS : ROUNDS **114, 115, 116, 117**

Laboratory : **1275**
ENQUIN ENVIRONMENTAL Ltd.
CF3 2EW, UK

ROUNDS				NUMBER AND PERCENTAGE OF COUNTS IN PERFORMANCE BANDS			
ROUND	GROUP	BATCH	ROUND DEADLINE DATE	BAND A	BAND A AND BAND B	BAND -C	BAND +C
117	12	14	25 Jun 2021	13	13	0	0
				100%	100%	0%	0%
116	21	22	12 Mar 2021	7	7	0	0
				100%	100%	0%	0%
115	22	25	06 Nov 2020	17	17	0	0
				100%	100%	0%	0%
114	26	46	13 Mar 2020	13	13	0	0
				100%	100%	0%	0%
Four-round average percentages				100%	100%	0%	0%
				Category 1 - GOOD			
Categories from previous rounds			ROUND	117	116	115	114
			CATEGORY	1	1	1	1

CALCULATION OF CATEGORY

In routine cases, if the four-round average percentage of counts in Band A is 75% or more, the Category is 1; failing that, if the average of counts in Bands A and B combined is 75% or more, the Category is 2; otherwise the Category is 3.

The Category may be subjected to review (e.g. if one of the four rounds was missed or if an extra batch of samples was evaluated)

Full details on the assessment of categories, and on the formal performance classifications, are given in the document "RICE Information for Participants"



HSE, Science & Research Centre
Harpur Hill, Buxton,
Derbyshire
SK17 9JN - UK



Asbestos in Materials Individual Results : Round 073 : 073 AIMS R73

For Laboratory Number : 1275 ENQUIN ENVIRONMENTAL Ltd.

Report Issued 29/06/2021 00:00:00


Report No. 073/160/13482/ 22896

Your Performance Score 0

Your Performance Classification Good

Your Score This Round 0

Sample	Your Result	Assigned Result	Sample Score
1	Chrysotile	Chrysotile	0
2	Amosite	Amosite	0
3	No Asbestos	No Asbestos	0
4	Anthophyllite	Anthophyllite	0



This report is confidential to your laboratory and can only be accessed by using your unique username and password. Once printed, the proficiency testing provider can not be held responsible for its confidentiality.

HSE
Melanie Clunas
 AIMS Scheme Co-Ordinator
 Fibres Team
 Final Report

HSE, Science & Research Centre
 Harpur Hill, Buxton, Derbyshire, SK17 9JN - UK

FTPT F0903 **ISSUE 4** Page 1 of 1



Constructionline
Gold Member

CERTIFICATE OF MEMBERSHIP

Enquin Environmental Ltd

Registration No: **53832**

Date Issued: **06 May 2021**

This certifies that the member named above has met pre-qualification requirements appropriate to public and private sector procurement.

A supplier's verification status is dynamic, this certificate proves the Supplier was verified to the named level on the day stated only. For the current status please check the Constructionline platform.



Certificate of Accreditation

This is to certify that

Enquin Environmental Ltd

has achieved SafeContractor accreditation

Date: 5th May 2021

This certificate is valid until: 5th May 2022

Certificate number: QQ4466

Signed:

Alyn Franklin
Alcumus CEO



Alcumus SafeContractor, Axys House, Parc Nantgarw, Cardiff, CF15 7QX

T: 029 2026 6749 E: safecontractor@alcumusgroup.com W: www.alcumusgroup.com | www.safecontractor.com

This certificate is the property of Alcumus SafeContractor and must be returned on request



Schedule to SafeContractor certificate

This SafeContractor certificate is awarded for the following services:

Work Categories:

Asbestos Air Sampling: Asbestos Air Sampling

Asbestos Bulk Sampling (Laboratory Work): Asbestos Bulk Sampling

Asbestos Surveying & Sampling: Asbestos Surveying

Industry Roles:

Consultant

Category Related Activities:

Air Sampling, Bulk Sampling (laboratory analysis), Inhalation of Dust, Fibres and Fumes, Ladders / Step Ladders, MEWPs, Surveying, Tower Scaffolds, Working at Height

SafeContractor accreditation has been achieved following an assessment of the contractor's health & safety documentation, and compared against the **SafeContractor** Charter Standards, which set out the health & safety standards required to achieve accreditation.

For more information on the Charter Standards, the **SafeContractor** scheme or for confirmation of this contractor's accreditation please telephone **SafeContractor** on 029 2026 6749.

www.safecontractor.com
www.alcumusgroup.com

Alcumus SafeContractor Limited is owned by Alcumus Group Limited
Alcumus SafeContractor and the Alcumus SafeContractor logo are trademarks belonging to Alcumus Holdings Limited
Company registration number: 07618138

 **Alcumus**[®]
Your Trusted Partner



SSIP SAFETY
SCHEMES IN
PROCUREMENT

FOUNDER MEMBER

CERTIFICATE

OF

ACCREDITATION

This is to certify that

Enquin Environmental Ltd

Membership No.: CHAS-0011293

Contractor - Non-Construction

has demonstrated compliance with the CHAS standards in line with SSIP Core Criteria and UK H&S Legislation and has been awarded accreditation to the requirements of the CDM Regulations 2015



H&S

VALID UNTIL


05

020 8545 3838

MAY

CHAS.co.uk

2022


Ian McKinnon
Managing Director

The information on this certificate is correct at the time of issue. To confirm the validity of a contractor, please visit <https://portal.chas.co.uk>
Full validation of this certificate should be made via the SSIP Portal www.ssiportal.org.uk



Certificate of Membership

This is to certify that

Enquin Environmental Limited

are now fully registered as a supplier on Achilles UVDB Community.

AchillesID: : 00018900

Expiry Date: : 22 February 2022

A handwritten signature in black ink, appearing to read 'Jay Katzen', positioned above a horizontal red line.

Jay Katzen
Chief Executive Officer
Achilles

 Achilles 

UVDB

 **SILVER PLUS** 

Product and Service Code Summary

Supplier Name: Enquin Environmental Limited

Achilles ID: 178972

2.2.7 Health & Safety Consultancy

2.5.6 Hazardous Material Handling/Treatment/Disposal Services (incl. Asbestos)

2.6.7 Training & Education Services – Functional



Certificate of Membership

Registered Member

Date: 17th April 2021

Company Name: Enquin Environmental Ltd

Signed: 
UKATA Chairman

Category of Member: Non-Licensed Asbestos Works
Training/ Asbestos Awareness

Expires: 16th April 2022

Membership Number: UK1795A

MARKHAM VALE
ENVIRONMENT CENTRE
MARKHAM LANE
MARKHAM VALE
CHESTERFIELD
DERBYSHIRE
S44 5HY

T: 01246 824437
E: info@ukata.org.uk
W: www.ukata.org.uk
ICO Reg. No. ICO Z125 3123



Enquin Environmental Limited

Date of Award: 11/05/2021

Award Number: 578242

+44 (0)1332 960 320
enquiries@altiusva.com
www.altiusva.com



This document should not be used as evidence of this company's current status.
To check the current validity of this award, please call the above number.

PSAs

Product Services

Activities

Asbestos Surveys (UKAS accredited)

Supply

Asbestos Testing (at permanent laboratory)

Supply

Asbestos Testing (away from permanent laboratory)

Supply

Goals

Goal Titles

Compliant

Aim Higher - Altius Assured Vendor



3 Retail



Airbus UK



Arcadia Group Limited



B&Q plc



Bellrock Property & Facilities Management



Carpetright



Debenhams



EAT



EPTA UK



George Barker & Co



Hugo Boss



Johnsons Cleaning



Maintenance Management Ltd (MML)



MRH Retail



NCP



Pizza Hut



Roadchef



Savers Health & Beauty



Servest Group



Goals

<u>Goal Titles</u>	<u>Compliant</u>
Superdrug	✓
The Perfume Shop	✓
Travelodge	✓



Certificate of Accreditation

This is to certify that

Enquin Environmental Limited

has been accepted as a Bronze level member
of the ACDC Accreditation Scheme



Contractor ID

1946608

Expiry Date

19/10/2022

Philip Salaman Managing Director



This Certificate is Awarded to:

Enquin Environmental Limited

CDM Scope: Non-construction

by Avetta

in Accordance with SSIP Forum Deemed to Satisfy Agreement

Certificate Issued: 05/May/2021

Expiry Date: 05/May/2022

Certificate Number: 139539

Authorised By: *Arshad Martin*

To check the validity of this certificate please contact Avetta directly on 01628 450400 or visit the SSIP Portal www.ssiportal.org.uk



The Safety Schemes in Procurement Competence Forum (SSIP) "acts as an umbrella organisation to facilitate mutual recognition between health and safety pre-qualification schemes wherever it is practicable to do so"



Certificate of Builder's Profile Premium Membership

The standard in PQQ data Exchange

www.buildersprofile.co.uk

This is to certify that

ENQUIN ENVIRONMENTAL LIMITED

.....

is a Premium Member of the Builder's Profile.

Account Registration Number: 26883	
Membership Commenced 30 April 2021	Membership Expires 22 May 2022